Stohl ENVIRONMENTAL BUFFALO ROCHESTER

3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

January 12, 2026

Mr. Timothy Rowan
Erie 2-Chautauqua-Cattaraugus BOCES
8685 Erie Road
Angola, New York 14006

Re: Lead Testing in School Drinking Water

Dear Mr. Rowan:

Included with this letter is Stohl Environmental LLC's report for the Lead in Drinking Water Sampling performed for Erie 2-Chautauqua-Cattaraugus BOCES including:

- **Hewes Educational Center – 2615 N Maple Ave, Ashville, New York**

This report is prepared to assist school districts in complying with the requirements of 10 NYCRR Subpart 67-4: *Lead Testing in School Drinking Water*, by identifying the sources of potable water with lead concentrations greater than the NYS "Action Level of 5 parts per billion (ppb)".

Sampling was performed on October 11, 2025. As detailed in Section 1.2 *(Executive Summary)* of the accompanying report, based upon the sampling and analysis performed, 92 sources of potable water at the Hewes Educational Center have been identified as having lead concentrations in water above the NYS Action Level of 5 parts per billion. To comply with NYS regulations, response actions by the district are required. Response actions are outlined in Section 1.3 *(Response Actions Required Under NYS Regulations)*.

Thank you for the opportunity to be of service to Erie 2-Chautauqua-Cattaraugus BOCES.

Sincerely,
Stohl Environmental, LLC.

M. Scinta

Michael Scinta
EPA Lead Risk Assessor

Lead Testing in School Drinking Water

Prepared for:

Erie 2-Chautauqua-Cattaraugus BOCES

Prepared by:

Stohl ENVIRONMENTAL
BUFFALO ROCHESTER
SINCE 1988

3860 California Road
Orchard Park, New York 14127

Conditions as of October 11, 2025

Stohl BUFFALO ROCHESTER ENVIRONMENTAL

3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

Summary Tabulation

Lead in Drinking Water Investigation

1.1. Scope of Work and Sampling Protocol

1.2. Executive Summary of Sampling and Analysis

1.3. Response Actions Required Under NYS Regulations

1.4. Laboratory Analytical Reports and Chain of Custody Documents

1.5. Laboratory Certifications

3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

1.1 Scope of Work and Sampling Protocol:

Stohl Environmental was retained by Erie 2-Chautauqua-Cattaraugus BOCES to perform sampling and analysis of potable water for lead concentrations. Sampling was performed in the following building:

- **Hewes Educational Center – 2615 N Maple Ave, Ashville, New York**

Scope of Work:

Stohl Environmental was charged with collecting first-draw water samples from outlets within the Hewes Educational Center. Outlets are defined in NYS regulations as: "a potable water fixture currently or potentially used for drinking or cooking purposes, including but not limited to a bubbler, drinking fountain, or faucets".

Sampling Protocol:

In accordance with NYS regulations, ***Subpart 67-4: Lead Testing in School Drinking Water***, and the EPA guidance document, ***3Ts for Reducing Lead in Drinking Water in Schools***, Stohl Environmental's protocol can be summarized as follows:

- **First-draw samples** of 250 milliliters (mL) were collected from cold water outlets before any water was used. Sampling was coordinated with District representatives to assure that water was motionless in the pipes for a minimum of 8 hours, but not more than 18 hours before sample collection.

- **Laboratory Analysis:** Samples were submitted following strict chain-of-custody protocols to an independent laboratory approved by the NYS Department of Health's Environmental Laboratory Approval Program (ELAP).

3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

1.2 Executive Summary of Sampling and Analysis:

Summary of Samples Collected at the Hewes Educational Center:

Building Name	Date of Sampling	Total Samples	At or Below Action Level*	Above Action Level*
Hewes Educational Center	October 11, 2025	124	31	92

**NYS Action Level is 5 parts per billion*

Listing of Outlets Requiring Remediation

The following outlets were analyzed above the NYS Action Level:

Sample #	Location	Fixture/Outlet type	Laboratory Analysis (in ppb)
199.2 – Southeast Building			
199.2-1	111 Sink (All Gender Br)	Sink	15.6
199.2-3	110 Utility Sink	Sink	26.9
199.2-4	Girls Bathroom Across From 110	Sink	56.0
199.2-5	Boys Bathroom Across From 110	Sink	41.9
199.2-6	112 Sink	Sink	35.4
199.2-7	402 Lo Sink	Sink	10.6
199.2-8	402 Hi Sink	Sink	11.3
199.2-9	401 Right Sink	Sink	39.0
199.2-10	401 Middle Sink	Sink	16.2
199.2-11	401 Left Sink	Sink	41.4
199.2-12	401 Bathroom Sink	Sink	56.2
199.2-13	403 Room Sink	Sink	24.2
199.2-14	404 Left Sink	Sink	7.5
199.2-16	319 Left Sink	Sink	7.9
199.2-17	319 Right Sink	Sink	5.6
199.2-20	Men's Bathroom Across From 315	Sink	5.3
199.2-21	Girls Bathroom Across From 315	Sink	33.8
199.2-22B	Bottle Fill Across From 316	Bottle Fill	6.0
199.2-23	313 Left Sink	Sink	9.0
199.2-24	313 Right Sink	Sink	7.0
199.2-25	309 Right Sink	Sink	12.5

Stohl ENVIRONMENTAL BUFFALO ROCHESTER
3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

Sample #	Location	Fixture/Outlet type	Laboratory Analysis (in ppb)
199.2-26	307 Left Sink	Sink	7.6
199.2-27	307 Right Sink	Sink	7.4
199.2-28	305 Left	Sink	8.4
199.2-29	305 Right	Sink	7.5
199.2-30	303 Left	Sink	6.6
199.2-32	301 Left	Sink	12.0
199.2-33	301 Right	Sink	11.9
199.2-34	Men's Bathroom Across From 305	Sink	12.2
199.2-37	Women's Across From 208	Sink	11.9
199.2-38	Boys Locker Room Drinking Fountain	Drinking Fountain	89.2
199.2-39	Boys Locker Room Sink	Sink	31.1
199.2-40	Girls Locker Room Sink	Sink	25.5
199.2-41	201 Sink	Sink	7.0
199.2-43	106B Sink	Sink	165.0
199.2-44	106A Sink	Sink	34.4
199.21 – Auto Shop Building			
199.21-2	Shop Men's Bathroom Sink	Sink	90.8
199.21-3	Shop Women's Bathroom Sink	Sink	32.3
199.21-4	201 Men's Bathroom Sink	Sink	16.5
199.21-5	201 Drinking Fountain	Drinking Fountain	7.2
199.21-6	201 Sink	Sink	41.2
199.21-7	205 Bathroom Sink	Sink	7.4
199.21-8	300 Sink	Sink	13.5
199.21-9	300 Bathroom Sink	Sink	22.0
199.22 – Conservation Garage			
199.22-1	Garage Men's Bathroom	Sink	9.8
199.22-2	Garage Women's Bathroom	Sink	8.2
199.22-4	Closet Utility Sink	Sink	23.8
199.23 – Green House Building			
199.23-1	102B Bathroom Sink L	Sink	15.6
199.23-2	102B Bathroom Sink R	Sink	26.7
199.23-3	Women's Bathroom	Sink	12.6
199.23-4	Animal Room Sink	Sink	18.7
199.24 – Building B			
199.24-4	Left Side Utility Sink	Sink	28.5
199.24-6	Men's Bathroom Sink	Sink	76.2
199.24-8	800 Utility Sink	Sink	21.5

Stohl ENVIRONMENTAL BUFFALO ROCHESTER
3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

Sample #	Location	Fixture/Outlet type	Laboratory Analysis (in ppb)
199.25 – Northeast Building			
199.25-2	105D Bathroom Sink	Sink	11.6
199.25-3	105C Bathroom Sink	Sink	5.4
199.25-5	Men's Bathroom Sink L	Sink	8.4
199.25-6	Men's Bathroom Sink M	Sink	6.8
199.25-7	Men's Bathroom Sink R	Sink	6.8
199.25-8	Women's Bathroom Sink M	Sink	6.3
199.25-9	Women's Bathroom Sink L	Sink	5.4
199.25-10	109 Sink L	Sink	6.9
199.25-11	109 Sink M	Sink	19.6
199.25-12	111 Sink	Sink	10.8
199.25-14	103 Hair Wash	Sink	8.53
199.25-15	104 Hair Wash	Sink	9.35
199.25-16	105 Hair Wash	Sink	10.7
199.25-17	106 Hair Wash	Sink	17.0
199.25-18	107 Hair Wash R	Sink	132
199.25-19	107 Bottle Fill	Bottle Fill	6.2
199.25-22	101 R Hair Wash	Sink	33.1
199.25-23	101 Hair Wash	Sink	29.2
199.25-24	101 Hair Wash	Sink	71.5
199.25-25	101 Hair Wash	Sink	64.1
199.25-26	101 Hair Wash	Sink	26.5
199.25-27	101 L Hair Wash	Sink	66.2
199.25-29	1020 Utility Sink	Sink	9.0
199.25-30	202 Sink	Sink	12.5
199.25-31	305A Sink	Sink	7.0
199.25-32	Kitchen Sprayer	Sink	24.2
199.25-33	Kitchen Sink	Sink	7.9
199.25-34	Kitchen Hand Wash	Sink	103.0
199.25-35	Cafeteria Bottle Fill	Bottle Fill	36.0
199.25-36	303A Bathroom Sink	Sink	11.3
199.25-37	Back Hallway L Bathroom	Sink	43.1
199.25-38	Back Hallway R Bathroom	Sink	35.3
199.25-41	310 M	Sink	5.8
199.25-44	310 Sprayer	Sink	5.1
199.25-45	312A Sink	Sink	5.9
199.25-46	316 Sink	Sink	33.6

Stohl ENVIRONMENTAL
BUFFALO ROCHESTER
3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

Sample #	Location	Fixture/Outlet type	Laboratory Analysis (in ppb)
199.25-47	316 Bathroom Sink	Sink	33.0
199.25-48	313 Sink	Sink	18.7

3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

1.3 Response Actions Required Under NYS Regulations, Section 67-4.4:

For outlets analyzed with a lead concentration more than the NYS Action Level, regulations require:

(a) Prohibit use of the outlet until:

(1) a lead remediation plan is implemented to mitigate the lead level of such outlet; and

(2) test results indicate that the lead levels are at or below the action level;

(b) Provide building occupants with an adequate supply of potable water for drinking and cooking until remediation is performed;

(c) Report the test results to the local health department as soon as practicable, but no more than 1 business day after the school received the laboratory report; and

(d) Notify all staff and all persons in parental relation to students of the test results, in writing, as soon as practicable but no more than 10 business days after the school received the laboratory report.

3860 California Road
Orchard Park, New York 14127
(P) 716-312-0070 (F) 716-312-8092
www.stohlenvironmental.com

1.4 Laboratory Analytical Reports and Chain of Custody Documents

November 07, 2025 Service Request No:R2513540

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes SE Buildoing

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513540.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

1565 Jefferson Rd, Building 300, Rochester, NY 14623 | 585-288-5380 | www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes SE Buildoing
Sample Matrix: Drinking Water

Service Request: R2513540
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Forty five drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/07/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.2-1			Lab ID: R2513540-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	15.6			1.0	ug/L	200.8

CLIENT ID: 199.2-3			Lab ID: R2513540-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	26.9			1.0	ug/L	200.8

CLIENT ID: 199.2-4			Lab ID: R2513540-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	56.0			1.0	ug/L	200.8

CLIENT ID: 199.2-5			Lab ID: R2513540-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	41.9			1.0	ug/L	200.8

CLIENT ID: 199.2-6			Lab ID: R2513540-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	35.4			1.0	ug/L	200.8

CLIENT ID: 199.2-7			Lab ID: R2513540-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	10.6			1.0	ug/L	200.8

CLIENT ID: 199.2-8			Lab ID: R2513540-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	11.3			1.0	ug/L	200.8

CLIENT ID: 199.2-9			Lab ID: R2513540-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	39.0			1.0	ug/L	200.8

CLIENT ID: 199.2-10			Lab ID: R2513540-010			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	16.2			1.0	ug/L	200.8

CLIENT ID: 199.2-11			Lab ID: R2513540-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	41.4			1.0	ug/L	200.8

CLIENT ID: 199.2-12			Lab ID: R2513540-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	56.2			1.0	ug/L	200.8

CLIENT ID: 199.2-13			Lab ID: R2513540-013			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	24.2			1.0	ug/L	200.8

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.2-14			Lab ID: R2513540-014			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.5			1.0	ug/L	200.8

CLIENT ID: 199.2-15			Lab ID: R2513540-015			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.6			1.0	ug/L	200.8

CLIENT ID: 199.2-16			Lab ID: R2513540-016			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.9			1.0	ug/L	200.8

CLIENT ID: 199.2-17			Lab ID: R2513540-017			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.6			1.0	ug/L	200.8

CLIENT ID: 199.2-18			Lab ID: R2513540-018			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.1			1.0	ug/L	200.8

CLIENT ID: 199.2-19			Lab ID: R2513540-019			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.4			1.0	ug/L	200.8

CLIENT ID: 199.2-20			Lab ID: R2513540-020			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.3			1.0	ug/L	200.8

CLIENT ID: 199.2-21			Lab ID: R2513540-021			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	33.8			1.0	ug/L	200.8

CLIENT ID: 199.2-22A			Lab ID: R2513540-022			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	2.8			1.0	ug/L	200.8

CLIENT ID: 199.2-22B			Lab ID: R2513540-023			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.0			1.0	ug/L	200.8

CLIENT ID: 199.2-23			Lab ID: R2513540-024			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	9.0			1.0	ug/L	200.8

CLIENT ID: 199.2-24			Lab ID: R2513540-025			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.0			1.0	ug/L	200.8

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.2-25	Lab ID: R2513540-026					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	12.5			1.0	ug/L	200.8

CLIENT ID: 199.2-26	Lab ID: R2513540-027					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.6			1.0	ug/L	200.8

CLIENT ID: 199.2-27	Lab ID: R2513540-028					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.4			1.0	ug/L	200.8

CLIENT ID: 199.2-28	Lab ID: R2513540-029					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	8.4			1.0	ug/L	200.8

CLIENT ID: 199.2-29	Lab ID: R2513540-030					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.5			1.0	ug/L	200.8

CLIENT ID: 199.2-30	Lab ID: R2513540-031					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.6			1.0	ug/L	200.8

CLIENT ID: 199.2-31	Lab ID: R2513540-032					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.0			1.0	ug/L	200.8

CLIENT ID: 199.2-32	Lab ID: R2513540-033					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	12.0			1.0	ug/L	200.8

CLIENT ID: 199.2-33	Lab ID: R2513540-034					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	11.9			1.0	ug/L	200.8

CLIENT ID: 199.2-34	Lab ID: R2513540-035					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	12.2			1.0	ug/L	200.8

CLIENT ID: 199.2-35	Lab ID: R2513540-036					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.6			1.0	ug/L	200.8

CLIENT ID: 199.2-36	Lab ID: R2513540-037					
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.0			1.0	ug/L	200.8

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.2-37			Lab ID: R2513540-038			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	11.9			1.0	ug/L	200.8

CLIENT ID: 199.2-38			Lab ID: R2513540-039			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	89.2			1.0	ug/L	200.8

CLIENT ID: 199.2-39			Lab ID: R2513540-040			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	31.1			1.0	ug/L	200.8

CLIENT ID: 199.2-40			Lab ID: R2513540-041			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	25.5			1.0	ug/L	200.8

CLIENT ID: 199.2-41			Lab ID: R2513540-042			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.0			1.0	ug/L	200.8

CLIENT ID: 199.2-43			Lab ID: R2513540-044			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	165			1.0	ug/L	200.8

CLIENT ID: 199.2-44			Lab ID: R2513540-045			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	34.4			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513540-001	199.2-1	10/11/2025	
R2513540-002	199.2-2	10/11/2025	
R2513540-003	199.2-3	10/11/2025	
R2513540-004	199.2-4	10/11/2025	
R2513540-005	199.2-5	10/11/2025	
R2513540-006	199.2-6	10/11/2025	
R2513540-007	199.2-7	10/11/2025	
R2513540-008	199.2-8	10/11/2025	
R2513540-009	199.2-9	10/11/2025	
R2513540-010	199.2-10	10/11/2025	
R2513540-011	199.2-11	10/11/2025	
R2513540-012	199.2-12	10/11/2025	
R2513540-013	199.2-13	10/11/2025	
R2513540-014	199.2-14	10/11/2025	
R2513540-015	199.2-15	10/11/2025	
R2513540-016	199.2-16	10/11/2025	
R2513540-017	199.2-17	10/11/2025	
R2513540-018	199.2-18	10/11/2025	
R2513540-019	199.2-19	10/11/2025	
R2513540-020	199.2-20	10/11/2025	
R2513540-021	199.2-21	10/11/2025	
R2513540-022	199.2-22A	10/11/2025	
R2513540-023	199.2-22B	10/11/2025	
R2513540-024	199.2-23	10/11/2025	
R2513540-025	199.2-24	10/11/2025	
R2513540-026	199.2-25	10/11/2025	
R2513540-027	199.2-26	10/11/2025	
R2513540-028	199.2-27	10/11/2025	
R2513540-029	199.2-28	10/11/2025	
R2513540-030	199.2-29	10/11/2025	
R2513540-031	199.2-30	10/11/2025	
R2513540-032	199.2-31	10/11/2025	
R2513540-033	199.2-32	10/11/2025	
R2513540-034	199.2-33	10/11/2025	
R2513540-035	199.2-34	10/11/2025	
R2513540-036	199.2-35	10/11/2025	
R2513540-037	199.2-36	10/11/2025	
R2513540-038	199.2-37	10/11/2025	
R2513540-039	199.2-38	10/11/2025	
R2513540-040	199.2-39	10/11/2025	
R2513540-041	199.2-40	10/11/2025	
R2513540-042	199.2-41	10/11/2025	

Client: Stohl Environmental **Service Request:**R2513540

Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513540-043	199.2-42	10/11/2025	
R2513540-044	199.2-43	10/11/2025	
R2513540-045	199.2-44	10/11/2025	

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.2

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes SE Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		Turnaround
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.2-1	111 Sink (All Gender Br)	Sink	7:10
199.2-2	110 Sink	Sink	7:11
199.2-3	110 Utility Sink	Sink	7:13
199.2-4	Girls Bathroom Across From 110	Sink	7:15
199.2-5	Boys Bathroom Across From 110	Sink	7:17
199.2-6	112 Sink	Sink	7:19
199.2-7	402 Lo Sink	Sink	7:21
199.2-8	402 Hi Sink	Sink	7:23
199.2-9	401 Right Sink	Sink	7:25
199.2-10	401 Middle Sink	Sink	7:27
199.2-11	401 Left Sink	Sink	7:29
199.2-12	401 Bathroom Sink	Sink	7:30
199.2-13	403 Room Sink	Sink	7:32
199.2-14	404 Left Sink	Sink	7:34
199.2-15	404 Right Sink	Sink	7:36
199.2-16	319 Left Sink	Sink	7:38
199.2-17	319 Right Sink	Sink	7:40

Notes:
Please e-mail lab results to labs@stohlenv.com ☑ If checked, also e-mail results to: Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): ALS Date: 10/14/25 Time: ~~10/14/25~~ 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: RM

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 1 of 3

R2513540 5
Stohl Environmental
E2CC BOCES - Hewes SE Building

Chain of Custody Document

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.2

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes SE Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		*Turnaround*
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.2-18	315 Left Sink	Sink	7:42
199.2-19	315 Right Sink	Sink	7:44
199.2-20	Mens Bathroom Across From 315	Sink	7:46
199.2-21	Girls Bathroom Across From 315	#REF!	7:48
199.2-22A	Df Across From 315	DF	7:49
199.2-22B	Dfb Across From 316	DFB	7:51
199.2-23	313 Left Sink	Sink	7:53
199.2-24	313 Right Sink	Sink	7:55
199.2-25	309 Right Sink	Sink	7:57
199.2-26	307 Left Sink	Sink	7:59
199.2-27	307 Right Sink	Sink	8:01
199.2-28	305 Left	Sink	8:03
199.2-29	305 Right	Sink	8:05
199.2-30	303 Left	Sink	8:07
199.2-31	303 Right	Sink	8:08
199.2-32	301 Left	Sink	8:10
199.2-33	301 Right	Sink	8:12
199.2-34	Mens Bathroom Across From 305	Sink	8:14

Notes:
Please e-mail lab results to labs@stohlenv.com Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): Ryan Remmi ALS Date: 10/14/25 Time: 10/14/25 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: RM

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 2 of 3

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.2

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes SE Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD
Water by 200.8 X

Turnaround
10 Days

Sample #	Location	Outlet Type	Time
199.2-35	208 Sink	Sink	8:16
199.2-36	206 Sink	Sink	8:18
199.2-37	Womens Across From 208	Sink	8:20
199.2-38	Boys Locker Room Df	DF	8:22
199.2-39	Boys Locker Room Sink	Sink	8:24
199.2-40	Girls Locker Room Sink	Sink	8:26
199.2-41	201 Sink	Sink	8:27
199.2-42	108B Sink	Sink	8:29
199.2-43	106B Sink	Sink	8:31
199.2-44	106A Sink	Sink	8:33

Notes:
Please e-mail lab results to labs@stohlenv.com Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): [illegible] ALS Date: 10/14/25 Time: ~~10:~~ 10:02 RM

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 3 of 3

R2513540 5
Stohl Environmental
E2CC BOCES - Hewes SE Building

Cooler Receipt and Preservation Check Form

Project/Client Stohl Folder Number

Cooler received on 10/14/25 by: RM

COURIER: ALS UPS FEDEX VELOCITY (CLIENT)

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles**?	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice** **Dry Ice** **Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10/14/25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	15.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: Standing Approval Client aware at drop-off Client notified by:

All samples held in storage location: SMO by RM on 10/14 at 10:11
5035 samples placed in storage location: by on at within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10/21/25 Time: 1918 by: RDA

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? (YES) NO
10. Did all bottle labels and tags agree with custody papers? (YES) NO
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	2C2324	HNO_3	✓		240178U	11/27				
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 072125-2EK5

Explain all Discrepancies/ Other Comments:

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RDA *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2		

Sample Name:	199.2-1	**Date Collected:**	10/11/25
Lab Code:	R2513540-001	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-2	**Date Collected:**	10/11/25
Lab Code:	R2513540-002	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-3	**Date Collected:**	10/11/25
Lab Code:	R2513540-003	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-4	**Date Collected:**	10/11/25
Lab Code:	R2513540-004	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-5	**Date Collected:**	10/11/25
Lab Code:	R2513540-005	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2		

Sample Name:	199.2-6	**Date Collected:**	10/11/25
Lab Code:	R2513540-006	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-7	**Date Collected:**	10/11/25
Lab Code:	R2513540-007	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-8	**Date Collected:**	10/11/25
Lab Code:	R2513540-008	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-9	**Date Collected:**	10/11/25
Lab Code:	R2513540-009	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.2-10	**Date Collected:**	10/11/25
Lab Code:	R2513540-010	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client: Stohl Environmental **Service Request:** R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

Sample Name: 199.2-11 **Date Collected:** 10/11/25
Lab Code: R2513540-011 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-12 **Date Collected:** 10/11/25
Lab Code: R2513540-012 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-13 **Date Collected:** 10/11/25
Lab Code: R2513540-013 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-14 **Date Collected:** 10/11/25
Lab Code: R2513540-014 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-15 **Date Collected:** 10/11/25
Lab Code: R2513540-015 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2		

Sample Name:	199.2-16	**Date Collected:**	10/11/25
Lab Code:	R2513540-016	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name:	199.2-17	**Date Collected:**	10/11/25
Lab Code:	R2513540-017	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name:	199.2-18	**Date Collected:**	10/11/25
Lab Code:	R2513540-018	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name:	199.2-19	**Date Collected:**	10/11/25
Lab Code:	R2513540-019	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name:	199.2-20	**Date Collected:**	10/11/25
Lab Code:	R2513540-020	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Client: Stohl Environmental **Service Request:** R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

Sample Name: 199.2-21 **Date Collected:** 10/11/25
Lab Code: R2513540-021 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-22A **Date Collected:** 10/11/25
Lab Code: R2513540-022 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-22B **Date Collected:** 10/11/25
Lab Code: R2513540-023 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-23 **Date Collected:** 10/11/25
Lab Code: R2513540-024 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-24 **Date Collected:** 10/11/25
Lab Code: R2513540-025 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Client: Stohl Environmental **Service Request:** R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

Sample Name: 199.2-25 **Date Collected:** 10/11/25
Lab Code: R2513540-026 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-26 **Date Collected:** 10/11/25
Lab Code: R2513540-027 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-27 **Date Collected:** 10/11/25
Lab Code: R2513540-028 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-28 **Date Collected:** 10/11/25
Lab Code: R2513540-029 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-29 **Date Collected:** 10/11/25
Lab Code: R2513540-030 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Client: Stohl Environmental **Service Request:** R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

Sample Name: 199.2-30 **Date Collected:** 10/11/25
Lab Code: R2513540-031 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-31 **Date Collected:** 10/11/25
Lab Code: R2513540-032 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-32 **Date Collected:** 10/11/25
Lab Code: R2513540-033 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-33 **Date Collected:** 10/11/25
Lab Code: R2513540-034 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-34 **Date Collected:** 10/11/25
Lab Code: R2513540-035 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Client: Stohl Environmental **Service Request:** R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

Sample Name: 199.2-35 **Date Collected:** 10/11/25
Lab Code: R2513540-036 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-36 **Date Collected:** 10/11/25
Lab Code: R2513540-037 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-37 **Date Collected:** 10/11/25
Lab Code: R2513540-038 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-38 **Date Collected:** 10/11/25
Lab Code: R2513540-039 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-39 **Date Collected:** 10/11/25
Lab Code: R2513540-040 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Client: Stohl Environmental **Service Request:** R2513540
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2

Sample Name: 199.2-40 **Date Collected:** 10/11/25
Lab Code: R2513540-041 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-41 **Date Collected:** 10/11/25
Lab Code: R2513540-042 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-42 **Date Collected:** 10/11/25
Lab Code: R2513540-043 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-43 **Date Collected:** 10/11/25
Lab Code: R2513540-044 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

Sample Name: 199.2-44 **Date Collected:** 10/11/25
Lab Code: R2513540-045 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		NMANSEN

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-1	**Basis:**	NA
Lab Code:	R2513540-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**15.6**	ug/L	1.0	1	10/30/25 20:28	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-2	**Basis:**	NA
Lab Code:	R2513540-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 20:29	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-3	**Basis:**	NA
Lab Code:	R2513540-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**26.9**	ug/L	1.0	1	10/30/25 20:31	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-4	**Basis:**	NA
Lab Code:	R2513540-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**56.0**	ug/L	1.0	1	10/30/25 20:32	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-5	**Basis:**	NA
Lab Code:	R2513540-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**41.9**	ug/L	1.0	1	10/30/25 20:34	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-6	**Basis:**	NA
Lab Code:	R2513540-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**35.4**	ug/L	1.0	1	10/30/25 20:36	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-7	**Basis:**	NA
Lab Code:	R2513540-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**10.6**	ug/L	1.0	1	10/30/25 20:40	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-8	**Basis:**	NA
Lab Code:	R2513540-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**11.3**	ug/L	1.0	1	10/30/25 20:42	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-9	**Basis:**	NA
Lab Code:	R2513540-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**39.0**	ug/L	1.0	1	10/30/25 20:43	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-10	**Basis:**	NA
Lab Code:	R2513540-010		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**16.2**	ug/L	1.0	1	10/30/25 20:45	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-11	**Basis:**	NA
Lab Code:	R2513540-011		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**41.4**	ug/L	1.0	1	11/05/25 13:54	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-12	**Basis:**	NA
Lab Code:	R2513540-012		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**56.2**	ug/L	1.0	1	11/05/25 13:58	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-13	**Basis:**	NA
Lab Code:	R2513540-013		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**24.2**	ug/L	1.0	1	11/05/25 14:00	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-14	**Basis:**	NA
Lab Code:	R2513540-014		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.5**	ug/L	1.0	1	11/05/25 14:01	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-15	**Basis:**	NA
Lab Code:	R2513540-015		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.6**	ug/L	1.0	1	11/05/25 14:02	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-16	**Basis:**	NA
Lab Code:	R2513540-016		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.9**	ug/L	1.0	1	11/05/25 14:03	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-17	**Basis:**	NA
Lab Code:	R2513540-017		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.6**	ug/L	1.0	1	11/05/25 14:05	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-18	**Basis:**	NA
Lab Code:	R2513540-018		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.1**	ug/L	1.0	1	11/05/25 14:06	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-19	**Basis:**	NA
Lab Code:	R2513540-019		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.4**	ug/L	1.0	1	11/05/25 14:07	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-20	**Basis:**	NA
Lab Code:	R2513540-020		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.3**	ug/L	1.0	1	11/05/25 14:09	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-21	**Basis:**	NA
Lab Code:	R2513540-021		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**33.8**	ug/L	1.0	1	11/05/25 14:10	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-22A	**Basis:**	NA
Lab Code:	R2513540-022		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**2.8**	ug/L	1.0	1	11/05/25 14:14	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-22B	**Basis:**	NA
Lab Code:	R2513540-023		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.0**	ug/L	1.0	1	11/05/25 14:15	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-23	**Basis:**	NA
Lab Code:	R2513540-024		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**9.0**	ug/L	1.0	1	11/05/25 14:16	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-24	**Basis:**	NA
Lab Code:	R2513540-025		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.0**	ug/L	1.0	1	11/05/25 14:18	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-25	**Basis:**	NA
Lab Code:	R2513540-026		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**12.5**	ug/L	1.0	1	11/05/25 14:27	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-26	**Basis:**	NA
Lab Code:	R2513540-027		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.6**	ug/L	1.0	1	11/05/25 14:30	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-27	**Basis:**	NA
Lab Code:	R2513540-028		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.4**	ug/L	1.0	1	11/05/25 14:32	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-28	**Basis:**	NA
Lab Code:	R2513540-029		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**8.4**	ug/L	1.0	1	11/05/25 14:33	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-29	**Basis:**	NA
Lab Code:	R2513540-030		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.5**	ug/L	1.0	1	11/05/25 14:34	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-30	**Basis:**	NA
Lab Code:	R2513540-031		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.6**	ug/L	1.0	1	11/05/25 14:36	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-31	**Basis:**	NA
Lab Code:	R2513540-032		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.0**	ug/L	1.0	1	11/05/25 14:39	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-32	**Basis:**	NA
Lab Code:	R2513540-033		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**12.0**	ug/L	1.0	1	11/05/25 14:41	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-33	**Basis:**	NA
Lab Code:	R2513540-034		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**11.9**	ug/L	1.0	1	11/05/25 14:42	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-34	**Basis:**	NA
Lab Code:	R2513540-035		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**12.2**	ug/L	1.0	1	11/05/25 14:43	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-35	**Basis:**	NA
Lab Code:	R2513540-036		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.6**	ug/L	1.0	1	11/05/25 14:45	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-36	**Basis:**	NA
Lab Code:	R2513540-037		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.0**	ug/L	1.0	1	11/05/25 14:46	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-37	**Basis:**	NA
Lab Code:	R2513540-038		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**11.9**	ug/L	1.0	1	11/05/25 14:47	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-38	**Basis:**	NA
Lab Code:	R2513540-039		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**89.2**	ug/L	1.0	1	11/05/25 14:48	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-39	**Basis:**	NA
Lab Code:	R2513540-040		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**31.1**	ug/L	1.0	1	11/05/25 14:50	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-40	**Basis:**	NA
Lab Code:	R2513540-041		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**25.5**	ug/L	1.0	1	11/05/25 14:51	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-41	**Basis:**	NA
Lab Code:	R2513540-042		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.0**	ug/L	1.0	1	11/05/25 14:55	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-42	**Basis:**	NA
Lab Code:	R2513540-043		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	11/05/25 14:56	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-43	**Basis:**	NA
Lab Code:	R2513540-044		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**165**	ug/L	1.0	1	11/05/25 14:58	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.2-44	**Basis:**	NA
Lab Code:	R2513540-045		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**34.4**	ug/L	1.0	1	11/05/25 14:59	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513540-MB1		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 20:03	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513540-MB2		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	11/05/25 13:43	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513540-MB3		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	11/05/25 14:24	

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.2-10	**Units:**	ug/L
Lab Code:	R2513540-010	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513540-010MS			R2513540-010DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	16.2	37.9	20.0	109	37.6	20.0	107	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	11/5/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.2-24	**Units:**	ug/L
Lab Code:	R2513540-025	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513540-025MS			R2513540-025DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	7.0	26.8	20.0	99	26.7	20.0	99	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	11/5/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.2-25	**Units:**	ug/L
Lab Code:	R2513540-026	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513540-026MS			R2513540-026DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	12.5	32.1	20.0	98	32.3	20.0	99	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	11/5/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.2-44	**Units:**	ug/L
Lab Code:	R2513540-045	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513540-045MS			R2513540-045DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	34.4	55.0	20.0	103	55.3	20.0	104	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Analyzed:**	10/30/25
Sample Matrix:	Drinking Water		

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513540-LCS1

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.4	20.0	107	85-115

Client:	Stohl Environmental	**Service Request:**	R2513540
Project:	E2CC BOCES - Hewes SE Buildoing/2023L-199.2	**Date Analyzed:**	11/05/25
Sample Matrix:	Drinking Water		

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513540-LCS2

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	20.7	20.0	104	85-115

Client: Stohl Environmental
Project: E2CC BOCES - Hewes SE Buildoing/2023L-199.2
Sample Matrix: Drinking Water

Service Request: R2513540
Date Analyzed: 11/05/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513540-LCS3

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	19.8	20.0	99	85-115

November 03, 2025 Service Request No:R2513534

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes Auto Shop Building

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513534.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Auto Shop Building
Sample Matrix: Drinking Water

Service Request: R2513534
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Nine drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/03/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.21-1			Lab ID: R2513534-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	2.8			1.0	ug/L	200.8

CLIENT ID: 199.21-2			Lab ID: R2513534-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	90.8			1.0	ug/L	200.8

CLIENT ID: 199.21-3			Lab ID: R2513534-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	32.3			1.0	ug/L	200.8

CLIENT ID: 199.21-4			Lab ID: R2513534-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	16.5			1.0	ug/L	200.8

CLIENT ID: 199.21-5			Lab ID: R2513534-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.2			1.0	ug/L	200.8

CLIENT ID: 199.21-6			Lab ID: R2513534-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	41.2			1.0	ug/L	200.8

CLIENT ID: 199.21-7			Lab ID: R2513534-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.4			1.0	ug/L	200.8

CLIENT ID: 199.21-8			Lab ID: R2513534-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	13.5			1.0	ug/L	200.8

CLIENT ID: 199.21-9			Lab ID: R2513534-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	22.0			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513534

Project: E2CC BOCES - Hewes Auto Shop Building/2023L-199.21

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513534-001	199.21-1	10/11/2025	
R2513534-002	199.21-2	10/11/2025	
R2513534-003	199.21-3	10/11/2025	
R2513534-004	199.21-4	10/11/2025	
R2513534-005	199.21-5	10/11/2025	
R2513534-006	199.21-6	10/11/2025	
R2513534-007	199.21-7	10/11/2025	
R2513534-008	199.21-8	10/11/2025	
R2513534-009	199.21-9	10/11/2025	

Chain of Custody Document

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.21

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes Auto Shop Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		Turnaround
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.21-1	Shop Df	DF	8:50
199.21-2	Shop Mens Bathroom Sink	Sink	8:51
199.21-3	Shop Womens Bathroom Sink	Sink	8:53
199.21-4	201 Mens Bathroom Sink	Sink	8:55
199.21-5	201 Df	DF	8:57
199.21-6	201 Sink	Sink	8:59
199.21-7	205 Bathroom Sink	Sink	9:01
199.21-8	300 Sink	Sink	9:03
199.21-9	300 Bathroom Sink	Sink	9:05

Notes:
Please e-mail lab results to labs@stohlenv.com ☑ If checked, also e-mail results to: Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): [illegible] ALS Date: 10\14\25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 1 of 1

R2513534 5
Stohl Environmental
E2CC BOCES Hewes Auto Shop Building

R2513534 5
Stohl Environmental
E2CC BOCES Howes Auto Shop Building

Cooler Receipt and Preservat

Project/Client Stohl Folder Number

Cooler received on 10\14\25 by: RM

COURIER: ALS UPS FEDEX VELOCITY (CLIENT)

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles?**	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice Dry Ice Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10\14\25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	15.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: Standing Approval Client aware at drop-off Client notified by:

All samples held in storage location: SMO by RM on 10\14 at 10:11
5035 samples placed in storage location: by on at within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10\21\25 Time: 11:24 by: RM

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? YES (NO)
10. Did all bottle labels and tags agree with custody papers? YES (NO)
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	202325	HNO_3	✓	✓	24017806	1127	1 bottle	4mL	244318	≤2
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 062325-2ADD, 072125-2EKJ

Explain all Discrepancies/ Other Comments:

10) only sample ID on bottles

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RM *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: Stohl Environmental **Service Request:** R2513534
Project: E2CC BOCES - Hewes Auto Shop Building/2023L-199.21

Sample Name: 199.21-1 **Date Collected:** 10/11/25
Lab Code: R2513534-001 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.21-2 **Date Collected:** 10/11/25
Lab Code: R2513534-002 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.21-3 **Date Collected:** 10/11/25
Lab Code: R2513534-003 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.21-4 **Date Collected:** 10/11/25
Lab Code: R2513534-004 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.21-5 **Date Collected:** 10/11/25
Lab Code: R2513534-005 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21		

Sample Name:	199.21-6	**Date Collected:**	10/11/25
Lab Code:	R2513534-006	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.21-7	**Date Collected:**	10/11/25
Lab Code:	R2513534-007	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.21-8	**Date Collected:**	10/11/25
Lab Code:	R2513534-008	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.21-9	**Date Collected:**	10/11/25
Lab Code:	R2513534-009	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-1	**Basis:**	NA
Lab Code:	R2513534-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**2.8**	ug/L	1.0	1	10/30/25 19:17	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-2	**Basis:**	NA
Lab Code:	R2513534-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**90.8**	ug/L	1.0	1	10/30/25 19:22	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-3	**Basis:**	NA
Lab Code:	R2513534-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**32.3**	ug/L	1.0	1	10/30/25 19:23	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-4	**Basis:**	NA
Lab Code:	R2513534-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**16.5**	ug/L	1.0	1	10/30/25 19:25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-5	**Basis:**	NA
Lab Code:	R2513534-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.2**	ug/L	1.0	1	10/30/25 19:26	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-6	**Basis:**	NA
Lab Code:	R2513534-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**41.2**	ug/L	1.0	1	10/30/25 19:28	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-7	**Basis:**	NA
Lab Code:	R2513534-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.4**	ug/L	1.0	1	10/30/25 19:32	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-8	**Basis:**	NA
Lab Code:	R2513534-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**13.5**	ug/L	1.0	1	10/30/25 19:34	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.21-9	**Basis:**	NA
Lab Code:	R2513534-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**22.0**	ug/L	1.0	1	10/30/25 19:35	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513534-MB		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 19:14	

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.21-1	**Units:**	ug/L
Lab Code:	R2513534-001	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513534-001MS			R2513534-001DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	2.8	23.1	20.0	101	24.0	20.0	106	70-130	4	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	Stohl Environmental	**Service Request:**	R2513534
Project:	E2CC BOCES - Hewes Auto Shop Building/2023L-199.21	**Date Analyzed:**	10/30/25
Sample Matrix:	Drinking Water		

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513534-LCS

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.1	20.0	106	85-115

November 03, 2025 Service Request No:R2513536

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes Conservation Garage

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513536.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Conservation Garage
Sample Matrix: Drinking Water

Service Request: R2513536
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Four drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/03/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.22-1			Lab ID: R2513536-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	9.8			1.0	ug/L	200.8

CLIENT ID: 199.22-2			Lab ID: R2513536-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	8.2			1.0	ug/L	200.8

CLIENT ID: 199.22-3			Lab ID: R2513536-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.3			1.0	ug/L	200.8

CLIENT ID: 199.22-4			Lab ID: R2513536-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	23.8			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513536

Project: E2CC BOCES - Hewes Conservation Garage/2023L-199.22

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513536-001	199.22-1	10/11/2025	
R2513536-002	199.22-2	10/11/2025	
R2513536-003	199.22-3	10/11/2025	
R2513536-004	199.22-4	10/11/2025	

Stohl ENVIRONMENTAL

3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.22

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes Conservation Garage Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		*Turnaround*
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.22-1	Garage Mens Bathroom	Sink	9:07
199.22-2	Garage Womens Bathroom	Sink	9:08
199.22-3	Garage Sink	Sink	9:10
199.22-4	Closet Utility Sink	Sink	9:11

Notes:
Please e-mail lab results to labs@stohlenv.com ☑ If checked, also e-mail results to: Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): ALS Date: 10/14/25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

R2513536 5
Stohl Environmental
E2CC BOCES - Hewes Conservation Garage

R2513536 5
Stohl Environmental
E2CC BOCES - Hewes Conservation Garage

Cooler Receipt and Preservat

Project/Client Stohl Folder Number

Cooler received on 10\14\25 by: RM COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles?**	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice Dry Ice Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10\14\25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	15.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: Standing Approval Client aware at drop-off Client notified by:

All samples held in storage location: SMO by RM on 10\14 at 10:11
5035 samples placed in storage location: by on at within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10\21\25 Time: 11:33 by: RM

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? YES (NO)
10. Did all bottle labels and tags agree with custody papers? YES (NO)
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	202325	HNO_3	✓		24017806	1127				
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 072125-2EKJ
Explain all Discrepancies/ Other Comments:
10) RM only sample ID on bottles

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RM *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client:	Stohl Environmental	**Service Request:**	R2513536
Project:	E2CC BOCES - Hewes Conservation Garage/2023L-199.22		

Sample Name:	199.22-1	**Date Collected:**	10/11/25
Lab Code:	R2513536-001	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.22-2	**Date Collected:**	10/11/25
Lab Code:	R2513536-002	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.22-3	**Date Collected:**	10/11/25
Lab Code:	R2513536-003	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.22-4	**Date Collected:**	10/11/25
Lab Code:	R2513536-004	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513536
Project:	E2CC BOCES - Hewes Conservation Garage/2023L-199.22	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.22-1	**Basis:**	NA
Lab Code:	R2513536-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**9.8**	ug/L	1.0	1	10/30/25 19:37	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513536
Project:	E2CC BOCES - Hewes Conservation Garage/2023L-199.22	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.22-2	**Basis:**	NA
Lab Code:	R2513536-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**8.2**	ug/L	1.0	1	10/30/25 19:39	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513536
Project:	E2CC BOCES - Hewes Conservation Garage/2023L-199.22	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.22-3	**Basis:**	NA
Lab Code:	R2513536-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.3**	ug/L	1.0	1	10/30/25 19:40	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513536
Project:	E2CC BOCES - Hewes Conservation Garage/2023L-199.22	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.22-4	**Basis:**	NA
Lab Code:	R2513536-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**23.8**	ug/L	1.0	1	10/30/25 19:42	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513536
Project:	E2CC BOCES - Hewes Conservation Garage/2023L-199.22	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513536-MB		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 19:14	

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Conservation Garage/2023L-199.22
Sample Matrix: Drinking Water

Service Request: R2513536
Date Analyzed: 10/30/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513536-LCS

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.1	20.0	106	85-115

November 03, 2025 Service Request No:R2513538

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes Building With Green House

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513538.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Building With Green House
Sample Matrix: Drinking Water

Service Request: R2513538
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Four drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/03/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.23-1			Lab ID: R2513538-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	15.6			1.0	ug/L	200.8

CLIENT ID: 199.23-2			Lab ID: R2513538-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	26.7			1.0	ug/L	200.8

CLIENT ID: 199.23-3			Lab ID: R2513538-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	12.6			1.0	ug/L	200.8

CLIENT ID: 199.23-4			Lab ID: R2513538-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	18.7			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513538

Project: E2CC BOCES - Hewes Building With Green House/2023L-199.23

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513538-001	199.23-1	10/14/2025	
R2513538-002	199.23-2	10/14/2025	
R2513538-003	199.23-3	10/14/2025	
R2513538-004	199.23-4	10/14/2025	

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.23

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes Building With Green House Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		*Turnaround*
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.23-1	102B Bathroom Sink L	Sink	9:15
199.23-2	102B Bathroom Sink R	Sink	9:18
199.23-3	Womens Bathroom	Sink	9:20
199.23-4	Animal Room Sink	Sink	9:23

Notes:
Please e-mail lab results to labs@stohlenv.com ☑ If checked, also e-mail results to: Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): [illegible] ALS Date: 10/14/25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 1 of 1

R2513538 5
Stohl Environmental
E2CC BOCES - Hewes Building With Green House

R2513538 5
Stohl Environmental
E2CC BOCES - Hewes Building With Green House

Cooler Receipt and Preservation Check Form

Project/Client Stohl Folder Number

Cooler received on 10/14/25 by: RM

COURIER: ALS UPS FEDEX VELOCITY (CLIENT)

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles?**	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice Dry Ice Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10/14/25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	15.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: Standing Approval Client aware at drop-off Client notified by:

All samples held in storage location: SMO by RM on 10/14 at 10:11

5035 samples placed in storage location: by on at within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10/21/25 Time: 1922 by: RDA

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? (YES) NO
10. Did all bottle labels and tags agree with custody papers? (YES) NO
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	802320	HNO_3	✓		24017806	11/27				
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 072125-2EKJ

Explain all Discrepancies/ Other Comments:

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RDA *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23		

Sample Name:	199.23-1	**Date Collected:**	10/14/25
Lab Code:	R2513538-001	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.23-2	**Date Collected:**	10/14/25
Lab Code:	R2513538-002	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.23-3	**Date Collected:**	10/14/25
Lab Code:	R2513538-003	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.23-4	**Date Collected:**	10/14/25
Lab Code:	R2513538-004	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23	**Date Collected:**	10/14/25
		Date Received:	10/14/25 10:02
Sample Matrix:	Drinking Water		
Sample Name:	199.23-1	**Basis:**	NA
Lab Code:	R2513538-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**15.6**	ug/L	1.0	1	10/30/25 19:43	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23	**Date Collected:**	10/14/25
		Date Received:	10/14/25 10:02
Sample Matrix:	Drinking Water		
Sample Name:	199.23-2	**Basis:**	NA
Lab Code:	R2513538-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**26.7**	ug/L	1.0	1	10/30/25 19:45	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23	**Date Collected:**	10/14/25
		Date Received:	10/14/25 10:02
Sample Matrix:	Drinking Water		
Sample Name:	199.23-3	**Basis:**	NA
Lab Code:	R2513538-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**12.6**	ug/L	1.0	1	10/30/25 19:46	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23	**Date Collected:**	10/14/25
		Date Received:	10/14/25 10:02
Sample Matrix:	Drinking Water		
Sample Name:	199.23-4	**Basis:**	NA
Lab Code:	R2513538-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**18.7**	ug/L	1.0	1	10/30/25 19:51	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23	**Date Collected:**	NA
		Date Received:	NA
Sample Matrix:	Drinking Water		
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513538-MB		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 19:14	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	Stohl Environmental	**Service Request:**	R2513538
Project:	E2CC BOCES - Hewes Building With Green House/2023L-199.23	**Date Analyzed:**	10/30/25
Sample Matrix:	Drinking Water		

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513538-LCS

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.1	20.0	106	85-115

November 03, 2025 Service Request No:R2513539

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes Building B

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513539.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Building B
Sample Matrix: Drinking Water

Service Request: R2513539
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Thirteen drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/03/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.24-1			Lab ID: R2513539-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	2.0			1.0	ug/L	200.8

CLIENT ID: 199.24-3			Lab ID: R2513539-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	2.6			1.0	ug/L	200.8

CLIENT ID: 199.24-4			Lab ID: R2513539-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	28.5			1.0	ug/L	200.8

CLIENT ID: 199.24-5			Lab ID: R2513539-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.7			1.0	ug/L	200.8

CLIENT ID: 199.24-6			Lab ID: R2513539-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	76.2			1.0	ug/L	200.8

CLIENT ID: 199.24-7			Lab ID: R2513539-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.2			1.0	ug/L	200.8

CLIENT ID: 199.24-8			Lab ID: R2513539-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	21.5			1.0	ug/L	200.8

CLIENT ID: 199.24-9			Lab ID: R2513539-010			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.5			1.0	ug/L	200.8

CLIENT ID: 199.24-10			Lab ID: R2513539-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	1.6			1.0	ug/L	200.8

CLIENT ID: 199.24-11			Lab ID: R2513539-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.7			1.0	ug/L	200.8

CLIENT ID: 199.24-12			Lab ID: R2513539-013			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.3			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513539

Project: E2CC BOCES - Hewes Building B/2023L-199.24

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513539-001	199.24-1	10/11/2025	
R2513539-002	199.24-2A	10/11/2025	
R2513539-003	199.24-2B	10/11/2025	
R2513539-004	199.24-3	10/11/2025	
R2513539-005	199.24-4	10/11/2025	
R2513539-006	199.24-5	10/11/2025	
R2513539-007	199.24-6	10/11/2025	
R2513539-008	199.24-7	10/11/2025	
R2513539-009	199.24-8	10/11/2025	
R2513539-010	199.24-9	10/11/2025	
R2513539-011	199.24-10	10/11/2025	
R2513539-012	199.24-11	10/11/2025	
R2513539-013	199.24-12	10/11/2025	

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.24

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes Building B Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		Turnaround
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.24-1	200 Right Side Right Sink	Sink	9:31
199.24-2A	200 Df	DF	9:32
199.24-2B	200 Dfb	DFB	9:34
199.24-3	200 Right Side Left Sink	Sink	9:36
199.24-4	Left Side Utility Sink	Sink	9:38
199.24-5	Gender Neutral Bathroom Sink	Sink	9:39
199.24-6	Mens Bathroom Sink	Sink	9:41
199.24-7	800 Dfb	DFB	9:43
199.24-8	800 Utility Sink	Sink	9:45
199.24-9	300 Side Right Bathroom	Sink	9:46
199.24-10	300 Side Left Bathroom	Sink	9:48
199.24-11	300 Side Utility Sink	Sink	9:50
199.24-12	300 Side Dfb	DFB	9:52

Notes:
Please e-mail lab results to labs@stohlenv.com ☑ If checked, also e-mail results to: Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): hmm remmm ALS Date: 10/14/25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 1 of 1

R2513539 5
Stohl Environmental
E2CC BOCES - Hewes Building B

R2513539 5
Stohl Environmental
E2CC BOCES - Hewes Building B

Cooler Receipt and Preservation Check Form

Project/Client Stohl Folder Number

Cooler received on 10/14/25 by: RM

COURIER: ALS UPS FEDEX VELOCITY (CLIENT)

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles**?	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice Dry Ice Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10/14/25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	15.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: Standing Approval Client aware at drop-off Client notified by:

All samples held in storage location: SMO by RM on 10/14 at 10:11
5035 samples placed in storage location: by on at within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10/21/25 Time: 1921 by: RDA

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? (YES) NO
10. Did all bottle labels and tags agree with custody papers? (YES) NO
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	622325	HNO_3	✓		240178c6	11/27				
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 072125-2EKJ
Explain all Discrepancies/ Other Comments:

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RDA *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24		

Sample Name:	199.24-1	**Date Collected:**	10/11/25
Lab Code:	R2513539-001	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-2A	**Date Collected:**	10/11/25
Lab Code:	R2513539-002	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-2B	**Date Collected:**	10/11/25
Lab Code:	R2513539-003	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-3	**Date Collected:**	10/11/25
Lab Code:	R2513539-004	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-4	**Date Collected:**	10/11/25
Lab Code:	R2513539-005	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24		

Sample Name:	199.24-5	**Date Collected:**	10/11/25
Lab Code:	R2513539-006	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-6	**Date Collected:**	10/11/25
Lab Code:	R2513539-007	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-7	**Date Collected:**	10/11/25
Lab Code:	R2513539-008	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-8	**Date Collected:**	10/11/25
Lab Code:	R2513539-009	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-9	**Date Collected:**	10/11/25
Lab Code:	R2513539-010	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24		

Sample Name:	199.24-10	**Date Collected:**	10/11/25
Lab Code:	R2513539-011	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-11	**Date Collected:**	10/11/25
Lab Code:	R2513539-012	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.24-12	**Date Collected:**	10/11/25
Lab Code:	R2513539-013	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-1	**Basis:**	NA
Lab Code:	R2513539-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**2.0**	ug/L	1.0	1	10/30/25 19:52	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-2A	**Basis:**	NA
Lab Code:	R2513539-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 19:54	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-2B	**Basis:**	NA
Lab Code:	R2513539-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 19:56	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-3	**Basis:**	NA
Lab Code:	R2513539-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**2.6**	ug/L	1.0	1	10/30/25 20:06	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-4	**Basis:**	NA
Lab Code:	R2513539-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**28.5**	ug/L	1.0	1	10/30/25 20:11	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-5	**Basis:**	NA
Lab Code:	R2513539-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.7**	ug/L	1.0	1	10/30/25 20:12	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-6	**Basis:**	NA
Lab Code:	R2513539-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**76.2**	ug/L	1.0	1	10/30/25 20:14	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-7	**Basis:**	NA
Lab Code:	R2513539-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.2**	ug/L	1.0	1	10/30/25 20:16	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-8	**Basis:**	NA
Lab Code:	R2513539-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**21.5**	ug/L	1.0	1	10/30/25 20:17	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-9	**Basis:**	NA
Lab Code:	R2513539-010		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.5**	ug/L	1.0	1	10/30/25 20:22	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-10	**Basis:**	NA
Lab Code:	R2513539-011		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**1.6**	ug/L	1.0	1	10/30/25 20:23	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-11	**Basis:**	NA
Lab Code:	R2513539-012		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.7**	ug/L	1.0	1	10/30/25 20:25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.24-12	**Basis:**	NA
Lab Code:	R2513539-013		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.3**	ug/L	1.0	1	10/30/25 20:26	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513539-MB1		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 19:14	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513539-MB2		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 20:03	

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.24-2B	**Units:**	ug/L
Lab Code:	R2513539-003	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513539-003MS			R2513539-003DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	ND U	20.5	20.0	102	20.3	20.0	101	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513539
Project:	E2CC BOCES - Hewes Building B/2023L-199.24	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.24-3	**Units:**	ug/L
Lab Code:	R2513539-004	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513539-004MS			R2513539-004DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	2.6	23.4	20.0	104	23.4	20.0	104	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Building B/2023L-199.24
Sample Matrix: Drinking Water

Service Request: R2513539
Date Analyzed: 10/30/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513539-LCS1

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.1	20.0	106	85-115

Client: Stohl Environmental
Project: E2CC BOCES - Hewes Building B/2023L-199.24
Sample Matrix: Drinking Water

Service Request: R2513539
Date Analyzed: 10/30/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513539-LCS2

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.4	20.0	107	85-115

November 04, 2025 Service Request No:R2513530

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes NE Building

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513530.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes NE Building
Sample Matrix: Drinking Water

Service Request: R2513530
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Thirty six drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/04/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.25-1			Lab ID: R2513530-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	2.1			1.0	ug/L	200.8

CLIENT ID: 199.25-2			Lab ID: R2513530-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	11.6			1.0	ug/L	200.8

CLIENT ID: 199.25-3			Lab ID: R2513530-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.4			1.0	ug/L	200.8

CLIENT ID: 199.25-4			Lab ID: R2513530-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.3			1.0	ug/L	200.8

CLIENT ID: 199.25-5			Lab ID: R2513530-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	8.4			1.0	ug/L	200.8

CLIENT ID: 199.25-6			Lab ID: R2513530-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.8			1.0	ug/L	200.8

CLIENT ID: 199.25-7			Lab ID: R2513530-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.8			1.0	ug/L	200.8

CLIENT ID: 199.25-8			Lab ID: R2513530-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.3			1.0	ug/L	200.8

CLIENT ID: 199.25-9			Lab ID: R2513530-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.4			1.0	ug/L	200.8

CLIENT ID: 199.25-10			Lab ID: R2513530-010			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.9			1.0	ug/L	200.8

CLIENT ID: 199.25-11			Lab ID: R2513530-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	19.6			1.0	ug/L	200.8

CLIENT ID: 199.25-12			Lab ID: R2513530-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	10.8			1.0	ug/L	200.8

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.25-13			Lab ID: R2513530-013			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.0			1.0	ug/L	200.8

CLIENT ID: 199.25-14			Lab ID: R2513530-014			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	8.53			0.50	ug/L	200.8

CLIENT ID: 199.25-15			Lab ID: R2513530-015			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	9.35			0.50	ug/L	200.8

CLIENT ID: 199.25-16			Lab ID: R2513530-016			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	10.7			0.50	ug/L	200.8

CLIENT ID: 199.25-17			Lab ID: R2513530-017			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	17.0			1.0	ug/L	200.8

CLIENT ID: 199.25-18			Lab ID: R2513530-018			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	13.2			0.50	ug/L	200.8

CLIENT ID: 199.25-19			Lab ID: R2513530-019			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	6.2			1.0	ug/L	200.8

CLIENT ID: 199.25-20			Lab ID: R2513530-020			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.0			1.0	ug/L	200.8

CLIENT ID: 199.25-21			Lab ID: R2513530-021			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	1.9			1.0	ug/L	200.8

CLIENT ID: 199.25-22			Lab ID: R2513530-022			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	33.1			1.0	ug/L	200.8

CLIENT ID: 199.25-23			Lab ID: R2513530-023			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	29.2			1.0	ug/L	200.8

CLIENT ID: 199.25-24			Lab ID: R2513530-024			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	71.5			1.0	ug/L	200.8

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.25-25			Lab ID: R2513530-025			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	64.1			1.0	ug/L	200.8

CLIENT ID: 199.25-26			Lab ID: R2513530-026			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	26.5			1.0	ug/L	200.8

CLIENT ID: 199.25-27			Lab ID: R2513530-027			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	66.2			0.50	ug/L	200.8

CLIENT ID: 199.25-28			Lab ID: R2513530-028			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.7			1.0	ug/L	200.8

CLIENT ID: 199.25-29			Lab ID: R2513530-029			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	9.0			1.0	ug/L	200.8

CLIENT ID: 199.25-30			Lab ID: R2513530-030			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	12.5			1.0	ug/L	200.8

CLIENT ID: 199.25-31			Lab ID: R2513530-031			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.0			1.0	ug/L	200.8

CLIENT ID: 199.25-32			Lab ID: R2513530-032			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	24.2			1.0	ug/L	200.8

CLIENT ID: 199.25-33			Lab ID: R2513530-033			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	7.9			1.0	ug/L	200.8

CLIENT ID: 199.25-34			Lab ID: R2513530-034			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	103			1.0	ug/L	200.8

CLIENT ID: 199.25-35			Lab ID: R2513530-035			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	36.0			1.0	ug/L	200.8

CLIENT ID: 199.25-36			Lab ID: R2513530-036			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	11.3			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513530-001	199.25-1	10/11/2025	
R2513530-002	199.25-2	10/11/2025	
R2513530-003	199.25-3	10/11/2025	
R2513530-004	199.25-4	10/11/2025	
R2513530-005	199.25-5	10/11/2025	
R2513530-006	199.25-6	10/11/2025	
R2513530-007	199.25-7	10/11/2025	
R2513530-008	199.25-8	10/11/2025	
R2513530-009	199.25-9	10/11/2025	
R2513530-010	199.25-10	10/11/2025	
R2513530-011	199.25-11	10/11/2025	
R2513530-012	199.25-12	10/11/2025	
R2513530-013	199.25-13	10/11/2025	
R2513530-014	199.25-14	10/11/2025	
R2513530-015	199.25-15	10/11/2025	
R2513530-016	199.25-16	10/11/2025	
R2513530-017	199.25-17	10/11/2025	
R2513530-018	199.25-18	10/11/2025	
R2513530-019	199.25-19	10/11/2025	
R2513530-020	199.25-20	10/11/2025	
R2513530-021	199.25-21	10/11/2025	
R2513530-022	199.25-22	10/11/2025	
R2513530-023	199.25-23	10/11/2025	
R2513530-024	199.25-24	10/11/2025	
R2513530-025	199.25-25	10/11/2025	
R2513530-026	199.25-26	10/11/2025	
R2513530-027	199.25-27	10/11/2025	
R2513530-028	199.25-28	10/11/2025	
R2513530-029	199.25-29	10/11/2025	
R2513530-030	199.25-30	10/11/2025	
R2513530-031	199.25-31	10/11/2025	
R2513530-032	199.25-32	10/11/2025	
R2513530-033	199.25-33	10/11/2025	
R2513530-034	199.25-34	10/11/2025	
R2513530-035	199.25-35	10/11/2025	
R2513530-036	199.25-36	10/11/2025	

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.25

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes NE Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD		Turnaround
Water by 200.8	X	10 Days

Sample #	Location	Outlet Type	Time
199.25-1	105 Mailroom Sink	Sink	10:00
199.25-2	105D Bathroom Sink	Sink	10:01
199.25-3	105C Bathroom Sink	Sink	10:03
199.25-4	L Hallway Bf	BF	10:05
199.25-5	Mens Bathroom Sink L	Sink	10:07
199.25-6	Mens Bathroom Sink M	Sink	10:08
199.25-7	Mens Bathroom Sink R	Sink	10:10
199.25-8	Womens Bathroom Sink M	Sink	10:12
199.25-9	Womens Bathroom Sink L	Sink	10:14
199.25-10	109 Sink L	Sink	10:15
199.25-11	109 Sink M	Sink	10:17
199.25-12	111 Sink	Sink	10:19
199.25-13	103 Hair Wash L	Sink	10:21
199.25-14	103 Hair Wash	Sink	10:22
199.25-15	104 Hair Wash	Sink	10:24
199.25-16	105 Hair Wash	Sink	10:26
199.25-17	106 Hair Wash	Sink	10:28
199.25-18	107 Hair Wash R	Sink	10:29

Notes:
Please e-mail lab results to labs@stohlenv.com ☑ If checked, also e-mail results to: Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): ALS Date: 10/14/25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

R2513530 5
Stohl Environmental
E2CC BOCES - Hewes NE Building

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Chain of Custody Document

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.25

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes NE Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD

Water by 200.8 X

Turnaround

10 Days

Sample #	Location	Outlet Type	Time
199.25-19	107 Bf	BF	10:31
199.25-20	107 Counter Sink	Sink	10:33
199.25-21	107 Wall Sink	Sink	10:35
199.25-22	101 R Hair Wash	Sink	10:36
199.25-23	101 Hair Wash	Sink	10:38
199.25-24	101 Hair Wash	Sink	10:40
199.25-25	101 Hair Wash	Sink	10:42
199.25-26	101 Hair Wash	Sink	10:43
199.25-27	101 L Hair Wash	Sink	10:45
199.25-28	102 Sink	Sink	10:47
199.25-29	1020 Utility Sink	Sink	10:49
199.25-30	202 Sink	Sink	10:50
199.25-31	305A Sink	Sink	10:52
199.25-32	Kitchen Sprayer	Sink	10:54
199.25-33	Kitchen Sink	Sink	10:56
199.25-34	Kitchen Hand Wash	Sink	10:57
199.25-35	Cafeteria Bf	BF	10:59
199.25-36	303A Bathroom Sink	Sink	11:01

Notes:
Please e-mail lab results to labs@stohlenv.com

Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): [illegible] ALS Date: 10\14\25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

R2513530 5
Stohl Environmental
E2CC BOCES - Hewes NE Building

Cooler Receipt and Preservation Check Form

Project/Client Stohl Folder Number

Cooler received on 10/14/25 by: RM

COURIER: ALS UPS FEDEX VELOCITY (CLIENT)

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles?**	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice Dry Ice Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10/14/25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	5.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: SMO by RM on 10/14 at 10:11
5035 samples placed in storage location: _____ by _____ on _____ at _____ within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10/21/25 Time: 1420 by: RDA

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? (YES) NO
10. Did all bottle labels and tags agree with custody papers? (YES) NO
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	202320	HNO_3	V		2401606	1127				
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 072123-2E|GJ

Explain all Discrepancies/ Other Comments:

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RDA *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: Stohl Environmental **Service Request:** R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-1 **Date Collected:** 10/11/25
Lab Code: R2513530-001 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-2 **Date Collected:** 10/11/25
Lab Code: R2513530-002 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-3 **Date Collected:** 10/11/25
Lab Code: R2513530-003 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-4 **Date Collected:** 10/11/25
Lab Code: R2513530-004 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-5 **Date Collected:** 10/11/25
Lab Code: R2513530-005 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client: Stohl Environmental **Service Request:** R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-6 **Date Collected:** 10/11/25
Lab Code: R2513530-006 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-7 **Date Collected:** 10/11/25
Lab Code: R2513530-007 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-8 **Date Collected:** 10/11/25
Lab Code: R2513530-008 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-9 **Date Collected:** 10/11/25
Lab Code: R2513530-009 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-10 **Date Collected:** 10/11/25
Lab Code: R2513530-010 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client: Stohl Environmental **Service Request:** R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-11 **Date Collected:** 10/11/25
Lab Code: R2513530-011 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-12 **Date Collected:** 10/11/25
Lab Code: R2513530-012 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-13 **Date Collected:** 10/11/25
Lab Code: R2513530-013 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-14 **Date Collected:** 10/11/25
Lab Code: R2513530-014 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8	GCONSTANTINO	NMANSEN

Sample Name: 199.25-15 **Date Collected:** 10/11/25
Lab Code: R2513530-015 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8	GCONSTANTINO	NMANSEN

Client: Stohl Environmental **Service Request:** R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-16 **Date Collected:** 10/11/25
Lab Code: R2513530-016 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8	GCONSTANTINO	NMANSEN

Sample Name: 199.25-17 **Date Collected:** 10/11/25
Lab Code: R2513530-017 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-18 **Date Collected:** 10/11/25
Lab Code: R2513530-018 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8	GCONSTANTINO	NMANSEN

Sample Name: 199.25-19 **Date Collected:** 10/11/25
Lab Code: R2513530-019 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-20 **Date Collected:** 10/11/25
Lab Code: R2513530-020 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client: Stohl Environmental **Service Request:** R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-21 **Date Collected:** 10/11/25
Lab Code: R2513530-021 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-22 **Date Collected:** 10/11/25
Lab Code: R2513530-022 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-23 **Date Collected:** 10/11/25
Lab Code: R2513530-023 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-24 **Date Collected:** 10/11/25
Lab Code: R2513530-024 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-25 **Date Collected:** 10/11/25
Lab Code: R2513530-025 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client: Stohl Environmental **Service Request:** R2513530
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-26 **Date Collected:** 10/11/25
Lab Code: R2513530-026 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-27 **Date Collected:** 10/11/25
Lab Code: R2513530-027 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8	GCONSTANTINO	NMANSEN

Sample Name: 199.25-28 **Date Collected:** 10/11/25
Lab Code: R2513530-028 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-29 **Date Collected:** 10/11/25
Lab Code: R2513530-029 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-30 **Date Collected:** 10/11/25
Lab Code: R2513530-030 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25		

Sample Name:	199.25-31	**Date Collected:**	10/11/25
Lab Code:	R2513530-031	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-32	**Date Collected:**	10/11/25
Lab Code:	R2513530-032	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-33	**Date Collected:**	10/11/25
Lab Code:	R2513530-033	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-34	**Date Collected:**	10/11/25
Lab Code:	R2513530-034	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-35	**Date Collected:**	10/11/25
Lab Code:	R2513530-035	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25		

Sample Name:	199.25-36	**Date Collected:**	10/11/25
Lab Code:	R2513530-036	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-1	**Basis:**	NA
Lab Code:	R2513530-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**2.1**	ug/L	1.0	1	10/30/25 17:17	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-2	**Basis:**	NA
Lab Code:	R2513530-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**11.6**	ug/L	1.0	1	10/30/25 17:18	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-3	**Basis:**	NA
Lab Code:	R2513530-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.4**	ug/L	1.0	1	10/30/25 17:20	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-4	**Basis:**	NA
Lab Code:	R2513530-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.3**	ug/L	1.0	1	10/30/25 17:39	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-5	**Basis:**	NA
Lab Code:	R2513530-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**8.4**	ug/L	1.0	1	10/30/25 17:44	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-6	**Basis:**	NA
Lab Code:	R2513530-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.8**	ug/L	1.0	1	10/30/25 17:45	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-7	**Basis:**	NA
Lab Code:	R2513530-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.8**	ug/L	1.0	1	10/30/25 17:47	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-8	**Basis:**	NA
Lab Code:	R2513530-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.3**	ug/L	1.0	1	10/30/25 17:48	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-9	**Basis:**	NA
Lab Code:	R2513530-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.4**	ug/L	1.0	1	10/30/25 17:50	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-10	**Basis:**	NA
Lab Code:	R2513530-010		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.9**	ug/L	1.0	1	10/30/25 17:54	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-11	**Basis:**	NA
Lab Code:	R2513530-011		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**19.6**	ug/L	1.0	1	10/30/25 17:56	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-12	**Basis:**	NA
Lab Code:	R2513530-012		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**10.8**	ug/L	1.0	1	10/30/25 17:57	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-13	**Basis:**	NA
Lab Code:	R2513530-013		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.0**	ug/L	1.0	1	10/30/25 17:59	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-14	**Basis:**	NA
Lab Code:	R2513530-014		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Lead, Total	200.8	**8.53**	ug/L	0.50	1	10/30/25 11:45	10/29/25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-15	**Basis:**	NA
Lab Code:	R2513530-015		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Lead, Total	200.8	**9.35**	ug/L	0.50	1	10/30/25 11:47	10/29/25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-16	**Basis:**	NA
Lab Code:	R2513530-016		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Lead, Total	200.8	**10.7**	ug/L	0.50	1	10/30/25 11:48	10/29/25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-17	**Basis:**	NA
Lab Code:	R2513530-017		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**17.0**	ug/L	1.0	1	10/30/25 18:00	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-18	**Basis:**	NA
Lab Code:	R2513530-018		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Lead, Total	200.8	**13.2**	ug/L	0.50	1	10/30/25 11:49	10/29/25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-19	**Basis:**	NA
Lab Code:	R2513530-019		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**6.2**	ug/L	1.0	1	10/30/25 18:02	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-20	**Basis:**	NA
Lab Code:	R2513530-020		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.0**	ug/L	1.0	1	10/30/25 18:03	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-21	**Basis:**	NA
Lab Code:	R2513530-021		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**1.9**	ug/L	1.0	1	10/30/25 18:05	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-22	**Basis:**	NA
Lab Code:	R2513530-022		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**33.1**	ug/L	1.0	1	10/30/25 18:07	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-23	**Basis:**	NA
Lab Code:	R2513530-023		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**29.2**	ug/L	1.0	1	10/30/25 18:08	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-24	**Basis:**	NA
Lab Code:	R2513530-024		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**71.5**	ug/L	1.0	1	10/30/25 18:13	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-25	**Basis:**	NA
Lab Code:	R2513530-025		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**64.1**	ug/L	1.0	1	10/30/25 18:14	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-26	**Basis:**	NA
Lab Code:	R2513530-026		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**26.5**	ug/L	1.0	1	10/30/25 18:16	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-27	**Basis:**	NA
Lab Code:	R2513530-027		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Lead, Total	200.8	**66.2**	ug/L	0.50	1	10/30/25 11:50	10/29/25	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-28	**Basis:**	NA
Lab Code:	R2513530-028		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.7**	ug/L	1.0	1	10/30/25 18:17	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-29	**Basis:**	NA
Lab Code:	R2513530-029		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**9.0**	ug/L	1.0	1	10/30/25 18:28	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-30	**Basis:**	NA
Lab Code:	R2513530-030		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**12.5**	ug/L	1.0	1	10/30/25 18:33	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-31	**Basis:**	NA
Lab Code:	R2513530-031		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.0**	ug/L	1.0	1	10/30/25 18:34	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-32	**Basis:**	NA
Lab Code:	R2513530-032		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**24.2**	ug/L	1.0	1	10/30/25 18:36	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-33	**Basis:**	NA
Lab Code:	R2513530-033		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**7.9**	ug/L	1.0	1	10/30/25 18:37	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-34	**Basis:**	NA
Lab Code:	R2513530-034		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**103**	ug/L	1.0	1	10/30/25 18:39	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-35	**Basis:**	NA
Lab Code:	R2513530-035		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**36.0**	ug/L	1.0	1	10/30/25 18:43	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-36	**Basis:**	NA
Lab Code:	R2513530-036		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**11.3**	ug/L	1.0	1	10/30/25 18:45	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513530-MB1		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Date Extracted	Q
Lead, Total	200.8	ND U	ug/L	0.50	1	10/30/25 11:28	10/29/25	
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 16:38	NA	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513530-MB2		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 17:36	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513530-MB3		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 18:25	

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.25-3	**Units:**	ug/L
Lab Code:	R2513530-003	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513530-003MS			R2513530-003DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	5.4	26.1	20.0	103	26.4	20.0	105	70-130	1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.25-4	**Units:**	ug/L
Lab Code:	R2513530-004	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513530-004MS			R2513530-004DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	4.3	25.1	20.0	104	24.7	20.0	102	70-130	2	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.25-28	**Units:**	ug/L
Lab Code:	R2513530-028	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513530-028MS			R2513530-028DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	3.7	24.1	20.0	102	24.0	20.0	101	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client:	Stohl Environmental	**Service Request:**	R2513530
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.25-29	**Units:**	ug/L
Lab Code:	R2513530-029	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513530-029MS			R2513530-029DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	9.0	30.7	20.0	109	30.2	20.0	106	70-130	2	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

Client: Stohl Environmental
Project: E2CC BOCES - Hewes NE Building/2023L-199.25
Sample Matrix: Drinking Water

Service Request: R2513530
Date Analyzed: 10/30/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513530-LCS1

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	20.7	20.0	103	85-115
Lead, Total	200.8	20.8	20.0	104	85-115

Client: Stohl Environmental
Project: E2CC BOCES - Hewes NE Building/2023L-199.25
Sample Matrix: Drinking Water

Service Request: R2513530
Date Analyzed: 10/30/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513530-LCS2

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.3	20.0	107	85-115

Client: Stohl Environmental
Project: E2CC BOCES - Hewes NE Building/2023L-199.25
Sample Matrix: Drinking Water

Service Request: R2513530
Date Analyzed: 10/30/25

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513530-LCS3

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.1	20.0	105	85-115

November 03, 2025 Service Request No:R2513533

Michael Scinta
Stohl Environmental
3860 California Road
Orchard Park, NY 14219

Laboratory Results for: E2CC BOCES - Hewes NE Building

Dear Michael,

Enclosed are the results of the sample(s) submitted to our laboratory October 14, 2025
For your reference, these analyses have been assigned our service request number **R2513533.**

All testing was performed according to our laboratory's quality assurance program and met the requirements of the TNI standards except as noted in the case narrative report. Any testing not included in the lab's accreditation is identified on a Non-Certified Analytes report. All results are intended to be considered in their entirety. ALS Environmental is not responsible for use of less than the complete report. Results apply only to the individual samples submitted to the lab for analysis, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s), and represented by Laboratory Control Sample control limits. Any events, such as QC failures or Holding Time exceedances, which may add to the uncertainty are explained in the report narrative or are flagged with qualifiers. The flags are explained in the Report Qualifiers and Definitions page of this report.

Please contact me if you have any questions. My extension is 7473. You may also contact me via email at Remy.Rubin@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Remy Rubin
Project Manager

CC: Rebecca
Franjoine

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental

Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental
Project: E2CC BOCES - Hewes NE Building
Sample Matrix: Drinking Water

Service Request: R2513533
Date Received: 10/14/2025

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples for the Tier II level requested by the client.

Sample Receipt:

Twelve drinking water samples were received for analysis at ALS Environmental on 10/14/2025. Any discrepancies upon initial sample inspection are annotated on the sample receipt and preservation form included within this report. The samples were stored at minimum in accordance with the analytical method requirements.

Metals:

No significant anomalies were noted with this analysis.

Approved by R. Rubin Date 11/03/2025

SAMPLE DETECTION SUMMARY

This form includes only detections above the reporting levels. For a full listing of sample results, continue to the Sample Results section of this Report.

CLIENT ID: 199.25-37			Lab ID: R2513533-001			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	43.1			1.0	ug/L	200.8

CLIENT ID: 199.25-38			Lab ID: R2513533-002			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	35.3			1.0	ug/L	200.8

CLIENT ID: 199.25-39			Lab ID: R2513533-003			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	1.2			1.0	ug/L	200.8

CLIENT ID: 199.25-40			Lab ID: R2513533-004			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	3.9			1.0	ug/L	200.8

CLIENT ID: 199.25-41			Lab ID: R2513533-005			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.8			1.0	ug/L	200.8

CLIENT ID: 199.25-42			Lab ID: R2513533-006			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.8			1.0	ug/L	200.8

CLIENT ID: 199.25-43			Lab ID: R2513533-007			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	4.7			1.0	ug/L	200.8

CLIENT ID: 199.25-44			Lab ID: R2513533-008			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.1			1.0	ug/L	200.8

CLIENT ID: 199.25-45			Lab ID: R2513533-009			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	5.9			1.0	ug/L	200.8

CLIENT ID: 199.25-46			Lab ID: R2513533-010			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	33.6			1.0	ug/L	200.8

CLIENT ID: 199.25-47			Lab ID: R2513533-011			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	33.0			1.0	ug/L	200.8

CLIENT ID: 199.25-48			Lab ID: R2513533-012			
Analyte	**Results**	**Flag**	**MDL**	**MRL**	**Units**	**Method**
Lead, Total	18.7			1.0	ug/L	200.8

Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: Stohl Environmental **Service Request:**R2513533
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

SAMPLE CROSS-REFERENCE

SAMPLE #	CLIENT SAMPLE ID	DATE	TIME
R2513533-001	199.25-37	10/11/2025	
R2513533-002	199.25-38	10/11/2025	
R2513533-003	199.25-39	10/11/2025	
R2513533-004	199.25-40	10/11/2025	
R2513533-005	199.25-41	10/11/2025	
R2513533-006	199.25-42	10/11/2025	
R2513533-007	199.25-43	10/11/2025	
R2513533-008	199.25-44	10/11/2025	
R2513533-009	199.25-45	10/11/2025	
R2513533-010	199.25-46	10/11/2025	
R2513533-011	199.25-47	10/11/2025	
R2513533-012	199.25-48	10/11/2025	

Chain of Custody Document

Stohl ENVIRONMENTAL
3860 California Road, Orchard Park, New York 14127
PHONE (716) 312-0070 FAX (716) 312-8092
WWW.STOHLENVIRONMENTAL.COM

Submitted to: (Lab Name) ALS

STOHL Job # 2023L-199.25

Client: E2CC BOCES Contact: Wayne McGuire

Building: Hewes NE Building Location: 2615 N Maple Ave, Ashville, NY 14710

LEAD
Water by 200.8 X

Turnaround
10 Days

Sample #	Location	Outlet Type	Time
199.25-37	Back Hallway L Bathroom	Sink	11:03
199.25-38	Back Hallway R Bathroom	Sink	11:04
199.25-39	Back Hall Bf	BF	11:06
199.25-40	310 L	Sink	11:08
199.25-41	310 M	Sink	11:10
199.25-42	310 R	Sink	11:11
199.25-43	310 Sink	Sink	11:13
199.25-44	310 Sprayer	Sink	11:15
199.25-45	312A Sink	Sink	11:17
199.25-46	316 Sink	Sink	11:18
199.25-47	316 Bathroom Sink	Sink	11:20
199.25-48	313 Sink	Sink	11:22

Notes:
Please e-mail lab results to labs@stohlenv.com Mscinta@stohlenvironmental.com

Sampled By: Jared Rider Print Name Stohl Env: Jared Rider Date: 10/11/2025

Relinquished By: _____ Print Name Stohl Env: Connor Crilly Date: 10/14/2025

Received (Name / Lab): [illegible] ALS Date: 10/14/25 Time: 10:02

Sample Login (Name / Lab): _____ Date: _____ Time: _____

Analysis (Name / Lab): _____ Date: _____ Time: _____

QA/QC Review (Name / Lab): _____ Date: _____ Time: _____

Archived / Released: _____ QA/QC InterLAB Use: _____ Date: _____ Time: _____

Page 3 of 3

R2513533 5
Stohl Environmental
E2CC BOCES - Hewes NE Building

R2513533 5
Stohl Environmental
E2CC BOCES - Hewes NE Building

Cooler Receipt and Preservation Check Form

Project/Client Stohl Folder Number

Cooler received on 10/14/25 by: RM

COURIER: ALS UPS FEDEX VELOCITY (CLIENT)

1	Were **Custody seals** on outside of cooler?	Y (N)	5a	Did **VOA** vials have sig* **bubbles?**	Y N (NA)
2	**Custody papers** properly completed (ink, signed)?	(Y) N	5b	Sig* bubbles: **Alk?** Y N (NA) **Sulfide?**	Y N (NA)
3	Did all bottles arrive in good **condition** (unbroken)?	(Y) N	6	Where did the bottles originate?	(ALS/ROC) CLIENT
4	Circle: **Wet Ice** **Dry Ice** **Gel packs** present?	Y (N)	7	Soil VOA received as: Bulk Encore 5035set	(NA)

8. Temperature Readings Date: 10/14/25 Time: 10:04 ID: IR#12 (IR#11) From: Temp Blank (Sample Bottle)

Temp (°C)	15.6						
Within 0-6°C?	Y (N)	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: No ice Ice melted Poorly Packed (described below) Same Day Rule

&Client Approval to Run Samples: Standing Approval Client aware at drop-off Client notified by:

All samples held in storage location: SMO by RM on 10/14 at 10:11
5035 samples placed in storage location: by on at within 48 hours of sampling? Y N

Cooler Breakdown/Preservation Check**: Date: 10/21/25 Time: 1419 by: RDA

9. Were all bottle labels complete (*i.e.* analysis, preservation, etc.)? (YES) NO
10. Did all bottle labels and tags agree with custody papers? (YES) NO
11. Were correct containers used for the tests indicated? (YES) NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO (N/A)
13. Were dissolved metals filtered in the field? YES NO (N/A)
14. Air Samples: Cassettes / Tubes Intact Y / N with MS Y / N Canisters Pressurized Tedlar® Bags Inflated (N/A)

pH	Lot of test paper	Reagent	Preserved? Yes	Preserved? No	Lot Received	Exp	Sample ID Adjusted	Vol. Added	Lot Added	Final pH
≥12		NaOH								
≤2	202325	HNO_3	✓		e4c17rc6	1/27				
≤2		H_2SO_4								
<4		$NaHSO_4$								
5-9		For 608pest			No=Notify for 3day					
Residual Chlorine (-)		For CN, Phenol, 625, 608pest, 522			If +, contact PM to add $Na_2S_2O_3$ (625, 608, CN), ascorbic (phenol).					
		$Na_2S_2O_3$								
		ZnAcetate	-	-			**VOAs and 1664 Not to be tested before analysis. Otherwise, all bottles of all samples with chemical preservatives are checked (not just representatives).			
		HCl	**	**						

Bottle lot numbers: 072125-2EMJ

Explain all Discrepancies/ Other Comments:

HPROD	BULK
HTR	FLDT
SUB	HGFB
ALS	LL3541

Labels secondary reviewed by: RDA *significant air bubbles: VOA > 5-6 mm : WC >1 in. diameter

Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

U	Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.
J	Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Arclors).
B	Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.
E	Inorganics- Concentration is estimated due to the serial dilution was outside control limits.
E	Organics- Concentration has exceeded the calibration range for that specific analysis.
D	Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.
*	Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.
H	Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.
#	Spike was diluted out.
+	Correlation coefficient for MSA is <0.995.
N	Inorganics- Matrix spike recovery was outside laboratory limits.
N	Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.
S	Concentration has been determined using Method of Standard Additions (MSA).
W	Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.
P	Concentration >40% difference between the two GC columns.
C	Confirmed by GC/MS
Q	DoD reports: indicates a pesticide/Aroclor is not confirmed (≥100% Difference between two GC columns).
X	See Case Narrative for discussion.
MRL LOQ	Method Reporting Limit. Also known as: Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.
MDL	Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).
LOD	Limit of Detection. A value at or above the MDL which has been verified to be detectable.
ND	Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.

Rochester Lab ID # for State Accreditations[1]

NELAP States
Florida ID # E87674
New Hampshire ID # 2941
New York ID # 10145
Pennsylvania ID# 68-786
Texas ID#T104704581
Virginia #460167

Non-NELAP States
Connecticut ID #PH0556
Delaware Approved
Maine ID #NY01587
North Carolina #36701
North Carolina #676
Rhode Island LAO00333

[1] Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory. To verify NH accredited analytes, go to https://www4.des.state.nh.us/CertifiedLabs/Certified-Method.aspx.

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25		

Sample Name:	199.25-37	**Date Collected:**	10/11/25
Lab Code:	R2513533-001	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-38	**Date Collected:**	10/11/25
Lab Code:	R2513533-002	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-39	**Date Collected:**	10/11/25
Lab Code:	R2513533-003	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-40	**Date Collected:**	10/11/25
Lab Code:	R2513533-004	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-41	**Date Collected:**	10/11/25
Lab Code:	R2513533-005	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client: Stohl Environmental **Service Request:** R2513533
Project: E2CC BOCES - Hewes NE Building/2023L-199.25

Sample Name: 199.25-42 **Date Collected:** 10/11/25
Lab Code: R2513533-006 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-43 **Date Collected:** 10/11/25
Lab Code: R2513533-007 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-44 **Date Collected:** 10/11/25
Lab Code: R2513533-008 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-45 **Date Collected:** 10/11/25
Lab Code: R2513533-009 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name: 199.25-46 **Date Collected:** 10/11/25
Lab Code: R2513533-010 **Date Received:** 10/14/25
Sample Matrix: Drinking Water

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25		

Sample Name:	199.25-47	**Date Collected:**	10/11/25
Lab Code:	R2513533-011	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

Sample Name:	199.25-48	**Date Collected:**	10/11/25
Lab Code:	R2513533-012	**Date Received:**	10/14/25
Sample Matrix:	Drinking Water		

Analysis Method	Extracted/Digested By	Analyzed By
200.8		MKASTAN

PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

INORGANIC

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7 / 200.8	200.2
6010D	3005A/3010A
6020B	ILM05.3
9034 Sulfide Acid Soluble	9030B
SM 4500-CN-N-2016 Amenable and Residual Cyanide	SM 4500-CN-G and SM 4500-CN-B,C-2016
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010D	3050B
6010D TCLP (1311) extract	3005A/3010A
6010D SPLP (1312) extract	3005A/3010A
7199	3060A
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction
For analytical methods not listed, the preparation method is the same as the analytical method reference.	

ORGANIC

Preparation Methods for Organic methods are listed in the header of the Results pages.

Regarding "Bulk/5035A":
For soil/solid samples submitted in soil jars for Volatiles analysis, the prep method is listed as "Bulk/5035A". The lab follows the closed-system EPA 5035A protocols once the sample is transferred to a sealed vial, but collection in bulk in soil jars does not follow the collection protocols listed in EPA 5035A. In accordance with the NYSDOH technical notice of October 2012, all results or reporting limits <200 ug/kg are to be considered estimated due to potential low bias.

Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-37	**Basis:**	NA
Lab Code:	R2513533-001		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**43.1**	ug/L	1.0	1	10/30/25 18:46	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-38	**Basis:**	NA
Lab Code:	R2513533-002		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**35.3**	ug/L	1.0	1	10/30/25 18:48	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-39	**Basis:**	NA
Lab Code:	R2513533-003		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**1.2**	ug/L	1.0	1	10/30/25 18:49	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-40	**Basis:**	NA
Lab Code:	R2513533-004		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**3.9**	ug/L	1.0	1	10/30/25 18:51	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-41	**Basis:**	NA
Lab Code:	R2513533-005		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.8**	ug/L	1.0	1	10/30/25 18:52	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-42	**Basis:**	NA
Lab Code:	R2513533-006		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.8**	ug/L	1.0	1	10/30/25 18:54	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-43	**Basis:**	NA
Lab Code:	R2513533-007		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**4.7**	ug/L	1.0	1	10/30/25 18:56	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-44	**Basis:**	NA
Lab Code:	R2513533-008		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.1**	ug/L	1.0	1	10/30/25 18:57	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-45	**Basis:**	NA
Lab Code:	R2513533-009		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**5.9**	ug/L	1.0	1	10/30/25 19:02	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-46	**Basis:**	NA
Lab Code:	R2513533-010		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**33.6**	ug/L	1.0	1	10/30/25 19:03	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-47	**Basis:**	NA
Lab Code:	R2513533-011		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**33.0**	ug/L	1.0	1	10/30/25 19:05	

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25 10:02
Sample Name:	199.25-48	**Basis:**	NA
Lab Code:	R2513533-012		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	**18.7**	ug/L	1.0	1	10/30/25 19:06	

QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Analytical Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	NA
Sample Matrix:	Drinking Water	**Date Received:**	NA
Sample Name:	Method Blank	**Basis:**	NA
Lab Code:	R2513533-MB		

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Lead, Total	200.8	ND U	ug/L	1.0	1	10/30/25 18:25	

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Collected:**	10/11/25
Sample Matrix:	Drinking Water	**Date Received:**	10/14/25
		Date Analyzed:	10/30/25

Duplicate Matrix Spike Summary
Inorganic Parameters

Sample Name:	199.25-48	**Units:**	ug/L
Lab Code:	R2513533-012	**Basis:**	NA
Analysis Method:	200.8		

		Matrix Spike			Duplicate Matrix Spike					
		R2513533-012MS			R2513533-012DMS					
Analyte Name	**Sample Result**	**Result**	**Spike Amount**	**% Rec**	**Result**	**Spike Amount**	**% Rec**	**% Rec Limits**	**RPD**	**RPD Limit**
Lead, Total	18.7	40.3	20.0	108	40.2	20.0	107	70-130	<1	20

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

Matrix Spike and Matrix Spike Duplicate Data is presented for information purposes only. The matrix may or may not be relevant to samples reported in this report. The laboratory evaluates system performance based on the LCS and LCSD control limits.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client:	Stohl Environmental	**Service Request:**	R2513533
Project:	E2CC BOCES - Hewes NE Building/2023L-199.25	**Date Analyzed:**	10/30/25
Sample Matrix:	Drinking Water		

Lab Control Sample Summary
Inorganic Parameters

Units:ug/L
Basis:NA

Lab Control Sample
R2513533-LCS

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Lead, Total	200.8	21.1	20.0	105	85-115

1.5 Laboratory Certifications

NEW YORK STATE DEPARTMENT OF HEALTH
WADSWORTH CENTER

Expires 12:01 AM April 01, 2026
Issued April 01, 2025

CERTIFICATE OF APPROVAL FOR LABORATORY SERVICE
Issued in accordance with and pursuant to section 502 Public Health Law of New York State

MS. CHRISTINE KUTZER
ALS ENVIRONMENTAL - ROCHESTER
1565 JEFFERSON ROAD BUILDING 300, SUITE 360
ROCHESTER, NY 14623

NY Lab Id No: 10145

is hereby APPROVED as an Environmental Laboratory in conformance with the National Environmental Laboratory Accreditation Conference Standards (2016) for the category ENVIRONMENTAL ANALYSES POTABLE WATER
All approved analytes are listed below:

Bacteriology	
Coliform, Total / E. coli (Qualitative)	SM 20, 21-23 9223B (-04) (Colilert)
Dissolved Gases	
Acetylene	RSK-175
Ethane	RSK-175
Ethene (Ethylene)	RSK-175
Methane	RSK-175
Propane	RSK-175
Fuel Additives	
Methyl tert-butyl ether	EPA 524.2
Naphthalene	EPA 524.2
Metals I	
Arsenic, Total	EPA 200.8 Rev. 5.4
Barium, Total	EPA 200.8 Rev. 5.4
Cadmium, Total	EPA 200.8 Rev. 5.4
Chromium, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Copper, Total	EPA 200.8 Rev. 5.4
Iron, Total	EPA 200.7 Rev. 4.4
Lead, Total	EPA 200.8 Rev. 5.4
Manganese, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Mercury, Total	EPA 245.1 Rev. 3.0
Selenium, Total	EPA 200.8 Rev. 5.4
Silver, Total	EPA 200.7 Rev. 4.4
	EPA 200.8 Rev. 5.4
Zinc, Total	EPA 200.7 Rev. 4.4

Serial No.: 70111

Property of the New York State Department of Health. Certificates are valid only at the address shown and must be conspicuously posted by the laboratory. Continued accreditation depends on the laboratory's successful ongoing participation in the Program. Consumers may verify a laboratory's accreditation status online at https://apps.health.ny.gov/pubdoh/appInks/wc/elappublicweb/, by phone (518) 485-5570 or by email to elap@health.ny.gov.

Page 1 of 5